

IN THE SPECIFICATION:

- Page 5, line 34, delete "bore" and insert therefor --passageway--; and
- Page 5, line 37, delete "first bore" and insert therefor --passageway--.
- Page 6, line 1, delete "bore" and insert therefor --passageway--;
- Page 6, line 3, delete "second bore" and insert therefor --passageway--; and
- Page 6, line 5, delete "bore" and insert therefor --passageway--.
- Page 21, line 37, delete "stent 254" and insert therefor --stent 154--.
- Page 26, line 36, delete "teflon" and insert therefor --TEFLON polytetrafluoroethylene--.
- Page 27, line 31, delete "teflon" and insert therefor --TEFLON polytetrafluoroethylene--;
- Page 28, line 16, delete "teflon" and insert therefor --TEFLON polytetrafluoroethylene--;
- Page 28, line 25, delete "spacer 330" and insert therefor --spacer 331--;
- Page 28, line 27, delete "cavity 332" and insert therefor --cavity 333--;
- Page 28, line 31, delete "Spacer 330" and insert therefor --Spacer 331--;
- Page 28, line 32, delete "teflon" and insert therefor --TEFLON polytetrafluoroethylene--;
- Page 28, line 36, delete "cavity 332" and insert therefor --cavity 333--; and
- Page 28, line 38, delete "cavity 332" and insert therefor --cavity 333--.
- Page 29, line 4, delete "spacer 330" and insert therefor --spacer 331--;
- Page 29, line 7, delete "spacer 334" and insert therefor --spacer 335--;
- Page 29, line 8, delete "spacer 330" and insert therefor --spacer 331--;
- Page 29, line 9, delete "spacer 330" and insert therefor --spacer 331--;

Page 29, line 10, delete "cavity 336" and insert therefor "cavity 337--;

Page 29, line 14, delete "cavity 336" and insert therefor --cavity 337--;

Page 29, line 17, delete "spacer 330 or spacer 334" and insert therefor --spacer 331 or spacer 335--;

Page 29, line 20, delete "spacer 334" and insert therefor --spacer 335--; and

Page 29, line 24, delete "spacers 334 and 330" and insert therefor --spacers 335 and 331--.

Page 30, line 25, delete "spacer 330" and insert therefor --spacer 331--; and

Page 30, line 26, delete "cavity 332" and insert therefor --cavity 333--.

Page 31, line 21, delete "spacer 334" and insert therefor --spacer 335--; and

Page 31, line 22, delete "cavity 336" and insert therefor --cavity 337--.

Page 36, line 25, delete "radiomarkers 618" and insert therefor --radiomarkers 619--; and

Page 36, line 27, delete "radiomarkers 620" and insert therefor --radiomarkers 621--.

**IN THE CLAIMS:**

Please cancel claims 1-66, without prejudice.

Please add the following new claims 67-77:

--67. A device for repairing a body lumen, comprising:

a first component, the first component having a generally tubular configuration and an indentation extending longitudinally along at least a portion of the first component--.

--68. The device of claim 67, wherein the indentation is defined by a stitch line--.

--69. The device of claim 68, wherein the stitch line defines two tubular channels within the first component--.

--70. The device of claim 67, wherein the first component includes a superior end, a mid-section, and an inferior end--.

--71. The device of claim 70, wherein the mid-section has a generally uniform diameter--.

--72. The device of claim 70, wherein the superior end has an increasing diameter--.

--73. The device of claim 70, wherein the inferior end has an increasing diameter--.

--74. The device of claim 67, further comprising a support device attached to the first component--.

--75. The device of claim 74, further comprising hook-like members attached to the support device--.

--76. The device of claim 74, wherein the support device is self-expanding--.